

Here Be Dragons

Advanced Stability Algorithms (ASA) Best Practices for Database Construction

© 2019 JM Rosborough Stability Consulting



Copyright © 2019 JM Rosborough Stability Consulting, LLC. All Rights Reserved

It is understood and agreed that nothing expressed herein is intended or shall be construed to give any person, firm, or corporation any right, remedy, or claim against JM Rosborough Stability Consulting or any of its personnel.

First Printing, 2019

Cover Art: A portion of the “Carta Marina”, a wallmap
of Scandinavia created by Olaus Magnus, 1539 (public domain)
Carta marina et descriptio septentrionalium terrarum
(Marine map and description of the Northern lands)

CONTENTS*Page*

1	<u>DOCUMENT OUTLINE</u>	<u>1</u>
1.1	DESCRIPTION	1
1.2	OBJECTIVES	1
1.3	RECOMMENDED MATERIALS	1
1.4	RECOMMENDATIONS AND DIRECTION.....	1
2	<u>WHAT IS ASA?</u>	<u>3</u>
2.1	OVERVIEW	3
2.1.1	DESCRIPTION	4
2.1.2	MANUALS	9
2.2	END-STATE EQUILIBRIUM VS. PROGRESSIVE FLOODING	9
2.3	STABILITY EVALUATION DIFFERENCES.....	11
2.3.1	USN DAMAGE STABILITY CRITERIA	11
2.3.2	STABILITY EVALUATION DURING PROGRESSIVE FLOODING	12
2.3.3	STABILITY PARAMETER COMPARISON.....	13
3	<u>USES: PAST, PRESENT, FUTURE.....</u>	<u>17</u>
3.1	ORIGINS	17
3.2	PAST	17
3.2.1	EX ORISKANY (CV 34) REEFING EVENT.....	17
3.2.2	EX PETERSON (DD 969) WEAPONS EFFECTS TEST	18
3.3	PRESENT.....	19
3.3.1	DDG 1000 DAMAGE DECISION AND ASSESSMENT (DDA)	19
3.3.2	USN LFT&E SURVIVABILITY & RECOVERABILITY	19
3.4	FUTURE.....	20
3.4.1	IDENTIFICATION OF SHIP LOSS AT INTERMEDIATE STAGES OF FLOODING	20
3.4.2	CALCULATION OF TIME TO LOSS.....	20
3.4.3	PROVISION OF LFT&E SURVIVABILITY EVALUATION DURING DESIGN	21
3.4.4	SHIPBOARD PREDICTIVE SYSTEMS.....	21
4	<u>TOOLS.....</u>	<u>23</u>
4.1	NSWCCD	23
4.1.1	SHCP.....	23
4.1.2	EDITSECT	23
4.1.3	SHCPPLOT.....	23
4.1.4	PICTURE.....	23
4.1.5	PICTSOLID.....	23
4.1.6	MAPIT.....	23

4.1.7	FDBEDIT.....	24
4.2	JM ROSBOROUGH STABILITY CONSULTING.....	24
4.2.1	COMPRENDER	24
4.2.2	SHRINK	24
4.2.3	PROJECT WORK CENTER.....	24
4.3	OTHER COMMERCIAL TOOLS	24
4.3.1	RHINO	24
4.3.2	WINMERGE	25
4.3.3	EDITPAD LITE.....	25
4.3.4	DXF VIEWERS.....	25
4.3.5	EXCEL	25
5	<u>SOURCE DATA REQUIRED</u>	<u>27</u>
5.1	HULL FORM & APPENDAGES	27
5.1.1	LINES DRAWING	27
5.1.2	CURVES OF FORM DRAWING	27
5.1.3	HULL FORM MODEL (CAD)	27
5.1.4	APPENDAGE DRAWINGS.....	28
5.1.5	WEIGHT REPORTS.....	28
5.2	SUPERSTRUCTURE	28
5.2.1	OUTBOARD PROFILES, BOW AND STERN VIEWS.....	28
5.2.2	SURFACE GEOMETRY.....	28
5.2.3	VENTILATION INTAKE AND EXHAUST TERMINATION & SIZE	28
5.2.4	HATCH AND LARGE DOOR / OPENING LOCATION & SIZE	29
5.2.5	SMALLER OPENINGS	29
5.3	BOGP & C&A DRAWINGS.....	29
5.3.1	COMPARTMENT LAYOUT.....	29
5.3.2	DECK DIMENSIONS	29
5.3.3	BULKHEAD AND DECK OPENINGS	29
5.3.4	TANK VOLUMES AND CENTROIDS	29
5.3.5	MACHINERY LAYOUT.....	30
5.4	DIGITAL DATA.....	30
5.4.1	CAD MODEL ACCESS	30
5.4.2	PORTAL DATA	30
5.4.3	COMPARTMENT DATA.....	31
5.5	VENTILATION SYSTEMS - *New*	31
5.5.1	SUPPORTING FIRE SPREAD MODELS	31
5.5.2	INTAKE & EXHAUST FROM EXTERIOR TO MAIN DESTINATION.....	32
5.5.3	VENTILATION DISTRIBUTION FROM FAN ROOMS TO COMPARTMENTS	32
5.5.4	SUBDIVISION BULKHEAD PENETRATION	32
5.5.5	SPACE DECOMPOSITION	34
5.5.6	REQUIRED SCIENCE / TESTING	34
6	<u>SHCP / FCCS MODEL</u>	<u>35</u>
6.1	HULL & APPENDAGES	35
6.1.1	HULL.....	35

6.1.2	APPENDAGES	35
6.1.3	FREE FLOOD SPACES	35
6.2	SUPERSTRUCTURE	35
6.2.1	NO "BIG BOX" SUPERSTRUCTURES.....	35
6.2.2	SHRINK-WRAP SUPERSTRUCTURES	36
6.2.3	SMALL BOX WITH FREE FLOOD SPACES.....	38
6.2.4	WEATHER DECK SPACES	38
6.2.5	INTERNAL OFFSETS (REFERENCE).....	39
6.3	DECKS.....	39
6.4	COMPARTMENTS	39
6.4.1	"TIGHT" SPACES.....	40
6.4.2	FREE FLOOD SPACES (FF).....	40
6.5	LIQUID LOADS.....	40
6.6	LOADING CONDITION.....	40
7	<u>ASA PHILOSOPHIC APPROACH</u>	<u>41</u>
7.1	ASA ASSUMPTIONS AND LIMITATIONS.....	41
7.1.1	ASSUMPTIONS	41
7.1.2	LIMITATIONS.....	42
7.2	STABILITY CALCULATION AND EVALUATION	42
7.2.1	USN END-STATE EQUILIBRIUM.....	42
7.2.2	CONSIDERATION OF END-STATE EQUILIBRIUM DEVELOPMENT	43
7.2.3	WHAT ABOUT THE ADDED WEIGHT APPROACH?	44
7.2.4	ASA TIME DOMAIN BASED EVALUATION	45
7.2.5	TREATMENT OF DAMAGE STABILITY.....	47
7.2.6	STABILITY AS PART OF SURVIVABILITY & RECOVERABILITY	49
7.3	THE PHILOSOPHY OF BOUNDARY TIGHTNESS	50
7.3.1	HULL	50
7.3.2	SUPERSTRUCTURE.....	50
7.3.3	SPACES AND SPACE SUBDIVISION	50
7.3.4	OPENINGS.....	51
8	<u>ASA MODEL & ARTIFACTS</u>	<u>53</u>
8.1	BASIC DATA RULES.....	53
8.1.1	COMMENTS & BLANK LINES.....	53
8.1.2	BLANK SPACE DELIMITER	53
8.1.3	UPPER CASE NAMES AND IDs.....	53
8.1.4	ORDER OF COMMANDS	53
8.2	COORDINATE SYSTEM, UNITS, & UNIT	54
8.2.1	COORDINATE SYSTEM.....	54
8.2.2	UNITS.....	54
8.2.3	UNIT	55
8.3	ASA MODEL COMMANDS	55
8.3.1	SHCP MODEL.....	55
8.3.2	ASA MODEL.....	56
8.4	ASA LOAD COMMANDS	58

8.4.1	INITIALWT	58
8.4.2	FLOATING MEDIUM	59
8.4.3	LIQUIDLOAD	59
8.4.4	FLOOD	59
8.5	CALCULATION & ANALYSIS COMMANDS	59
8.5.1	HEELANGLES	59
8.5.2	HELLIMIT	59
8.5.3	CONTINUEONCAPSIZE	59
8.5.4	TRIMANGLES	59
8.5.5	TRIMLIMIT	60
8.5.6	HEELINGARM	60
8.5.7	ANALYZERA	60
8.6	DYNAMIC COMMANDS	60
8.6.1	SOURCE	60
8.6.2	SINK	60
8.6.3	TRANSFER	60
8.6.4	FLOOD	60
8.6.5	HOLES (DAMAGE OPENINGS)	60
8.6.6	OPENINGSTATUS	61
8.7	START, TIME STEPS, STOP	61
8.7.1	ASASTART	61
8.7.2	TIME STEPS	61
8.7.3	ADDITIONAL EVENTS	61
8.7.4	PROGRAM END STATES	61
8.7.5	ASASTOP	62
9	<u>SUCCESSFUL MODEL BUILDING</u>	<u>63</u>
9.1	CONSTRUCTION	63
9.1.1	COLLABORATE	63
9.1.2	BE METHODICAL	63
9.1.3	BUILD PARTS IN SEPARATE FILES	63
9.1.4	HULL	64
9.1.5	SUPERSTRUCTURE	64
9.1.6	COMPARTMENTS	66
9.1.7	INITIALWT SPECIFICATION	69
9.1.8	LIQUID LOADS	69
9.1.9	ANALYZERA AND HEELINGARM	69
9.1.10	DECKEDGE	71
9.1.11	PORTALS & CONNECTORS	72
9.1.12	HOLES (DAMAGE OPENINGS)	73
9.1.13	SOURCE	73
9.1.14	SINK	74
9.1.15	GRAVITY DRAINS, HAWSE PIPES, ETC	74
9.1.16	TRANSFER	74
9.2	PROBLEMS & PITFALLS	74
9.2.1	HULL FORM & SUPERSTRUCTURE	74
9.2.2	COMPARTMENT & PART IDS	74

9.2.3	COMPARTMENT/SUB-COMPARTMENT GAPS.....	74
9.2.4	PORTALS, CONNECTORS, AND HOLES.....	75
9.3	VERIFICATION	77
9.3.1	HULL, APPENDAGES & SUPERSTRUCTURE	77
9.3.2	COMPARTMENTS.....	78
9.3.3	PORTALS & CONNECTORS.....	82
9.3.4	SOURCES, SINKS AND TRANSFERS	84
9.3.5	LIQUID LOADS.....	84
9.3.6	ANALYZERA AND HEELINGARM.....	85
9.3.7	DECKEDGE.....	85
9.3.8	HOLES	85
9.3.9	AGAINST OTHER MODELS.....	86
9.4	ASSEMBLY.....	87
9.4.1	ASSEMBLY DURING CONSTRUCTION.....	87
9.4.2	ASSEMBLY FOR EXECUTION	87
9.5	TESTING	88
9.5.1	SHCP MODEL.....	88
9.5.2	USING FLMASA	88
9.5.3	USING FLMNET	89
9.6	REPORTS	89
9.7	CONFIGURATION MANAGEMENT	90
9.7.1	SHCP FILES.....	90
9.7.2	ASA PART FILES.....	91
9.7.3	BACKUP AND VERSIONING	91
10	<u>RUNNING AND RESULTS</u>	<u>93</u>
10.1	FLMASA.....	93
10.1.1	RUNNING FLMASA.....	93
10.1.2	COMMAND QUE	95
10.2	FLMASA RESULTS	95
10.2.1	INITIAL DATA	95
10.2.2	GRAPHS.....	95
10.2.3	TABLES	98
10.2.4	TIME STEPS	99
10.2.5	WATCHING DURING EXECUTION	100
10.3	FLMNET.....	100
10.3.1	RUNNING WITH CLIENT SOFTWARE.....	100
10.3.2	RUNNING ALONE (FLMSERVER)	101
10.4	FLMNET RESULTS.....	101
10.4.1	SAVEOUTPUT COMMAND.....	102
10.4.2	FLMNET VIA FLMSERVER WITH OUTPUT FILE	102
10.5	FLMASA & FLMNET OUTPUT DIFFERENCES.....	102
11	<u>DRIVING THE MODEL.....</u>	<u>105</u>
11.1	EX USS PETERSON	105
11.1.1	THE PROBLEM.....	105

11.1.2	SUPERSTRUCTURE.....	105
11.1.3	HOLES	106
11.1.4	MODEL DRIVING LESSONS	106
11.2	Ex USS ORISKANY	106
11.2.1	DUMB LUCK OR SUCCESSFUL MITIGATION?	106
11.2.2	SHCP VS. ASA MODELING	107
11.2.3	BUOYANCY	107
11.2.4	OPENINGS.....	107
11.2.5	COMPARTMENTS.....	107
11.2.6	SENSITIVITY TO CENTER OF GRAVITY	108
11.2.7	MODEL DRIVING LESSONS	108
11.3	Ex USS SAN DIEGO	108
11.3.1	CLEAR SCENARIO – UNNOTICED CLUES	108
11.3.2	INITIAL RAPID HEELING.....	109
11.3.3	GUN DECK FLOODING	109
11.3.4	LOWER SHIP FLOODING	109
11.3.5	WEIGHT & KG MATTERS.....	109
11.3.6	LITTLE HOLES AGAIN... ..	109
11.3.7	MODEL DRIVING LESSONS	110
11.4	GENERAL THOUGHTS	110
11.4.1	WHAT TO MODEL.....	110
11.4.2	RUN, REVIEW, REPEAT	110
11.4.3	TURN ON THE SPIGOT.....	112
12	<u>RESULTS & INTERPRETATION</u>	<u>115</u>
12.1	REVIEWING GRAPHS.....	115
12.2	REVIEWING TABLES	116
12.2.1	TABULAR COMPARTMENT DATA	116
12.2.2	TABULAR STABILITY DATA	117
12.3	RIGHTING ARM GRAPHS & CURRENT TIME	118
12.4	TIME STEPS	118
12.4.1	TIME	118
12.4.2	ATTITUDE (ORIENTATION).....	118
12.4.3	STABILITY	119
12.4.4	DETAILED RESULTS: FLOODING	119
12.4.5	DETAILED RESULTS: OPENINGS	119
12.4.6	DETAILED RESULTS: PORTALS	121
12.4.7	DETAILED RESULTS: GZ TABLE & CURVE	121
12.4.8	DETAILED RESULTS: DECK EDGES	122
12.4.9	DETAILED RESULTS: STABILITY (ANALYZERA)	122
13	<u>REFERENCES.....</u>	<u>125</u>
13.1	ASA REFERENCES	125
13.2	FSSIM REFERENCES	125
13.3	OTHER REFERENCES.....	126

THE COMPLETE CHECKLIST1

Revisions

Date	Description	Page #
24 Oct 19	7.1.1 4 th bullet: replace “sever” with severe”	41
24 Oct 19	12.4.5 : replace “XX” with “Figure 76”	120

FIGURES	<i>Page</i>
Figure 1 Advanced Stability Algorithms Overview	3
Figure 2 Ex USS Oriskany Revised ASA Model Flooding Network	4
Figure 3 FLMASA Main Page with 2D Graph.....	6
Figure 4 Component Tree.....	6
Figure 5 Example Data Display for Selected Time Step	7
Figure 6 Example Tabular Data - Stability Data	7
Figure 7 Example Graphic Display - Total Flooding Graph	8
Figure 8 FLMNet User Interface	8
Figure 9 USN Damage Stability Criteria for Combatants	12
Figure 10 ASA Inherent Stability Evaluation Parameters	13
Figure 11 Stability Parameter comparison	14
Figure 12 Righting Arm Comparison - With & Without Superstructure	14
Figure 13 Comparison of Same Case Damage - Fixed vs. Free Communication.....	15
Figure 14 Ex ORISKANY (CV 34) 2 Minutes Before Submersion.....	18
Figure 15 Example CV-34 Air Intake Geometry using Portals	31
Figure 16 Figure from Ref 25 Depicting HVAC System and Other Flow Connections	33
Figure 17 Figure from Ref 23 Depicting Required Compartment Subdivision	33
Figure 18 Monolithic Superstructure - Isometric View.....	36
Figure 19 Monolithic Superstructure - Profile View	37
Figure 20 Wedding Cake Style Superstructure - Isometric View.....	37
Figure 21 Wedding Cake Style Superstructure - Profile view.....	37
Figure 22 Small Box with Free Floods – Ex ORISKANY 06 Level.....	38
Figure 23 Small Box with Free Floods – Ex ORISKANY 09 Level.....	38
Figure 24 Use of Internal Offsets to Define Proper Duct / Vent Runs	39
Figure 25 USN Ship Losses During WW-II.....	43
Figure 26 ASA Organic Stability Parameters.....	47
Figure 27 Compartment Decomposition for Progressive Flooding	51
Figure 28 Use of UNIT Command for Typical Coordinate Systems	55
Figure 29 Example of Rectangular & Circular Portals and 'Connectors'.....	56
Figure 30 FLMASA Capsize Notification.....	62
Figure 31 CV-34 Stern Mooring Station as a Free Flood.....	65
Figure 32 CV-34 Open Deck Area Port-side Gallery Deck Aft with Portal Openings	65
Figure 33 Example Compartment with Borderline Acceptable Deduction	67
Figure 34 Example Compartment that Requires Subdivision for Proper Water Flow.....	67
Figure 35 Example Draw Compartment Screens in CompRender	68
Figure 36 Comparison of Immersed Superstructure (Red).....	70
Figure 37 Comparison of LCS 4 Righting Arms With and Without Superstructure.	70
Figure 38 Sample USN Damage Stability Formulas for Use in ANALYZERA	71
Figure 39 Example Cross Section with Volume Gapped Compartment Pieces	75
Figure 40 Application of Holing that Straddles Decks and Bulkheads	76
Figure 41 Example 2D Deck Plan Layout Used for Compartment Verification	79
Figure 42 Example Compartment Drawing Layout	80
Figure 43 Example Multi-part SHCP Compartment - Isometric View	81
Figure 44 2D Deck Plan View using WLASA Command to Display Available ASA Components.....	82
Figure 45 Example 3D Portal Display with Connected Compartments	83
Figure 46 Example Portal with OUTSIDE Compartment Indicator (red pyramid).....	84
Figure 47 Example Portal Does Not Lie Within Intersection of Compartments	88
Figure 48 FLMASA Main Window on Startup.....	93
Figure 49 FLMASA Request to Delete Existing Results File	94
Figure 50 Indication that ASO File Loaded.....	94
Figure 51 FLMASA Startup - LOADHULL	94
Figure 52 FLMASA Startup - Errors.....	94
Figure 53 Command Queue Showing Errors.....	95
Figure 54 FLMASA Graph - Heel.....	96

Figure 55	FLMASA Graph – Total Flooding	96
Figure 56	FLMASA Graph – Transverse Righting Arm	96
Figure 57	Current Time Dialog	97
Figure 58	Tabular Compartment Table	98
Figure 59	Compartment Flooding Time History Graph	98
Figure 60	Tabular Stability Table	99
Figure 61	Time Steps Dialog – Fixed Data Fields and Detailed Results Radio Buttons	99
Figure 62	FLMNet Dialog	100
Figure 63	FLM Network Server (FLMServer) Window	101
Figure 64	Ex USS Spiegel Grove Premature Sinking	106
Figure 65	CV-34 Picture Presentation - Photo 172	111
Figure 66	CV-34 PictSolid Presentation - Photo 172	111
Figure 67	Sample Charts of Combined ASA Attitude and Stability Output	112
Figure 68	Single Value Graph - Heel	115
Figure 69	Overlaid Graphic Data	115
Figure 70	Weight Volume and 3 Centroids Type Graph	116
Figure 71	Tabular Compartment Data - Weight View	116
Figure 72	Space GD_284.#ADW Flooding Time History	117
Figure 73	Tabular Stability Data	117
Figure 74	Graphs & Tables: Transverse Righting Arm	118
Figure 75	Detailed Results: Flooding	119
Figure 76	Detailed Results: Openings	120
Figure 77	Deck View with Gunports and Compartments	120
Figure 78	Detailed Results: Portals	121
Figure 79	Detailed Results: GZ Curve (Transverse Righting Arm)	122
Figure 80	Detailed Results: GZ Table (Transverse Righting Arm Data)	122
Figure 81	Detailed Results: Deck Edges	123
Figure 82	Detailed Results: Stability	123

TABLES

	<i>Page</i>	
Table 1	End-State Equilibrium & Time-Domain Progressive Flooding - Similarities and Differences	9
Table 2	Stability Calculation & Analysis – Then vs. Now	44
Table 3	ASA Order of Commands	53
Table 4	FLM Internal Coordinate System	54
Table 5	FLM Units	54
Table 6	Acceptable Volume and Centroid Tolerances	78
Table 7	FLMASA & FLMNet Output Differences	102